



MacDermid
INCORPORATED

FILE NAME: _____
TOWN: _____
FILE TYPE: _____

RECEIVED

OCT 11 1991

DEP. Waste Management Bureau
Waste Engineering & Enforcement
Permits

245 FREIGHT STREET - WATERBURY, CT 06702 - TELEPHONE (203) 575-5700 - TELEX 4436011 - INTL. FAX 203-575-7900 - DOM. FAX 203-575-5630

October 9, 1991



RDMS DocID 00100851

Ms. Inga Rubecka
State of Connecticut
Department of Environmental Protection
165 Capitol Avenue
Hartford, CT 06106

File
NAME: McDERMID
I.D. NO.: CTD 001164599
FILE LOC: R-1A
OTHER: RDMS# 100851

SUBJECT: MacDermid Incorporated Part A CTD001164599

Dear Ms. Rubecka:

The following information should clear up the discrepancies between MacDermid's Part A Application of 1985 and the most recent one of 1991.

In the 1985 Application for capacity, the first line stated 40,000 gallons. This was an error on my part. It was and is a 26 cubic yard roll-off for metal hydroxide sludge. I tried to convert the cubic yards into gallons and it was not correct. Therefore, all the following Part A revisions have reflected 26 cubic yard roll-off.

The 1985 line item for 96,000 gallons was based on the capacity we had for 3 waste berms. The current 1991 has reduced this capacity and we wish to keep it reduced at this point.

The 29,000 gallon line item is the same as the 1991 line item and this is for 3 bulk etchant recycling waste holding tanks.

If you have any questions, please do not hesitate to contact me at 575-7947.

Sincerely,

Cherrie D. Gillis
Manager/Regulatory Affairs

CDG:mat